

Theravance Biopharma and Mylan Report Additional Positive Phase 3 Data for Revefenacin (TD-4208) in Multiple Presentations at 2017 CHEST Annual Meeting

November 1, 2017

Presentations Highlight 24-Hour Serial Spirometry Subgroup Findings from Two Replicate Pivotal Phase 3 Studies; Improvements Observed in St. George's Respiratory Questionnaire and COPD Assessment Test Results

DUBLIN, Ireland, HERTFORDSHIRE, England and PITTSBURGH, Nov. 1, 2017 /PRNewswire/ -- Theravance Biopharma, Inc. (NASDAQ: TBPH) ("Theravance Biopharma") and Mylan N.V. (NASDAQ, TASE: MYL) ("Mylan") today announced the presentation of additional positive efficacy data from the three-month, pivotal Phase 3 studies of revefenacin (TD-4208) at the 2017 CHEST annual meeting in Toronto, Ontario. Revefenacin is an investigational long-acting muscarinic antagonist (LAMA) and a proposed once-daily, nebulized bronchodilator in development for the treatment of chronic obstructive pulmonary disease (COPD). James F. Donohue, MD, Professor of Medicine, Pulmonary Diseases and Critical Care Medicine at the University of North Carolina at Chapel Hill, presented new data from the completed three-month Phase 3 studies, which included more than 1,250 patients with moderate to very severe COPD, in two separate presentations.

Mylan (PRNewsfoto/Mylan N.V.)

24-Hour Serial Spirometry Subgroup

The first presentation highlighted prespecified exploratory efficacy outcomes for the 264-patient subgroup that underwent 24-hour serial spirometry following the last dose of revefenacin on day 84 in the replicate Phase 3 studies (0126 and 0127). Results demonstrated statistically significant and clinically meaningful improvements for revefenacin over placebo in trough forced expiratory volume in one second (FEV₁) at all time points measured in each study over 24 hours post-dose.¹ The improvements in trough FEV₁ versus placebo (0-24 h) were 111-185 mL and 154-269 mL for 88 mcg and 175 mcg, respectively (p < 0.01).

St. George's Respiratory Questionnaire (SGRQ) and COPD Assessment Test (CAT)

An additional presentation on the Phase 3 studies reported results from a prespecified secondary analysis which measured changes in patient health status using the St. George's Respiratory Questionnaire (SGRQ) and COPD Assessment Test (CAT). In the first Phase 3 trial (Study 0126), researchers reported clinically meaningful improvements in SGRQ for revefenacin as compared to placebo in both the responder and total score analyses. Treatment with both doses of revefenacin led to statistically significant improvements in total CAT scores (p ? 0.001), as well as the percentage of patients who experienced clinically meaningful improvements in total CAT score (p ? 0.05), as compared to placebo.

In the second Phase 3 (Study 0127), improvements in SGRQ in both the responder and total score analyses were similar for both revefenacin doses. However, due to a greater than expected placebo response in this study, only the change from baseline analysis for subjects receiving 175 mcg reached statistical significance over placebo. Treatment with 175 mcg of revefenacin led to statistically significant improvements in total CAT scores (p < 0.05), as well as an increase in the percentage of patients who experienced clinically meaningful improvements in total CAT score (p ? 0.05), as compared to placebo. While the 88 mcg dose of revefenacin also led to improvements in total CAT scores and an increase in the percentage of patients who experienced clinically meaningful improvements in total CAT score as compared to placebo, these results did not reach statistical significance due to the greater than expected placebo response in this study.

"These latest data sets from our replicate Phase 3 efficacy studies of revefenacin provide important additional detail and context around the therapeutic potential of this drug for COPD patients. We are particularly pleased to see that the statistically significant improvements in FEV₁ demonstrated with revefenacin as compared to placebo in the complete Phase 3 patient population were consistent with the results seen in the 24-hour serial spirometry study subgroup," said Brett Haumann, MD, Chief Medical Officer at Theravance Biopharma. "It is also encouraging to have collected data from these pivotal efficacy studies that show improvements in SGRQ and CAT as compared to placebo for these patients. We remain on track to submit an NDA for revefenacin the fourth quarter of 2017, as we work diligently to bring the first once-daily nebulized bronchodilator to patients with COPD."

Mylan President Rajiv Malik commented, "We are very pleased with the progress of our Phase 3 data program in partnership with Theravance Biopharma. These new results, combined with efficacy and safety studies presented earlier this year, give us positive momentum as we prepare our new drug application for revefenacin."

Theravance Biopharma and Mylan previously reported positive results from two pivotal Phase 3 efficacy studies of revefenacin, which demonstrated statistically significant and clinically meaningful improvements for revefenacin as compared to placebo in trough FEV₁ and in overall treatment effect on trough FEV₁ (OTE FEV₁) after 12 weeks of dosing. Both doses of revefenacin had comparable rates of adverse events to placebo, low rates of serious adverse events, and no clinically meaningful differences in blood parameters or electrocardiogram (ECG) data, across all treatment groups (active and placebo). As previously reported, the most commonly reported adverse events, across both trials and across all treatment groups, were exacerbations, cough, dyspnea and headache. Additionally, the companies have previously announced positive results from a 12-month Phase 3 safety study in 1,055 patients with COPD, which did not identify new safety issues. Rates of adverse events (AEs) and serious adverse events (SAEs) in the study were low and comparable to those seen in the standard of care treatment arm. The data from these studies will support the submission of the new drug application (NDA) for revefenacin with the U.S. Food and Drug Administration (FDA), anticipated in the fourth quarter of 2017.

Theravance Biopharma and its affiliates have partnered with Mylan and its affiliates on the development and commercialization of nebulized revefenacin products for COPD and other respiratory diseases. The companies are developing revefenacin as a once-daily, nebulized bronchodilator for the treatment of patients with COPD that will be compatible with a range of jet nebulizers.

About Theravance Biopharma and Mylan Strategic Collaboration

Theravance Biopharma and Mylan N.V. and their respective affiliates have established a strategic collaboration to develop and commercialize nebulized revefenacin products for COPD and other respiratory diseases. Under the terms of the agreement, Theravance Biopharma is leading the US development program for the revefenacin inhalation solution product, with all costs related to the registrational program reimbursed by Mylan up until the approval of the first new drug application, after which costs will be shared. Mylan is responsible for ex-US development and commercialization. Theravance Biopharma is eligible to receive up to \$220 million in development and sales milestone payments, as well as a profit-sharing arrangement with Mylan on US sales and double-digit royalties on ex-US

sales. Additionally, Theravance Biopharma retains worldwide rights to revefenacin delivered through other dosage forms, such as a metered dose inhaler or dry powder inhaler (MDI/DPI), and the rights to nebulized revefenacin in China.

About COPD

COPD is a growing and devastating disease that is the third leading cause of death in the U.S.² An estimated 12.7 million American adults are diagnosed with COPD and an almost equal number are believed to be undiagnosed.³ There were more than 700,000 hospital discharges related to COPD in the U.S. reported in 2010. The costs of managing COPD in the U.S. were estimated to be nearly \$50 billion in 2010, including \$29.5 billion in direct healthcare expenditures, \$8 billion in indirect morbidity costs and \$12.4 billion in indirect mortality costs.³

About Revefenacin

Revefenacin (TD-4208) is a novel investigational once-daily nebulized LAMA in Phase 3 development for the treatment of moderate to very severe COPD. Market research by Theravance Biopharma indicates approximately 9% of the treated COPD patients in the U.S. use nebulizers for ongoing maintenance therapy.⁴ LAMAs are a cornerstone of maintenance therapy for COPD and, if approved, revefenacin has the potential to be a best-in-class once-daily single-agent product for COPD patients who require, or prefer, nebulized therapy. The product's stability in both metered dose inhaler and dry powder device formulations, suggest that this LAMA could also serve as a foundation for novel handheld combination products.

About Theravance Biopharma

Theravance Biopharma is a diversified biopharmaceutical company with the core purpose of creating medicines that help improve the lives of patients suffering from serious illness.

Our pipeline of internally discovered product candidates includes potential best-in-class medicines to address the unmet needs of patients being treated for serious conditions primarily in the acute care setting. VIBATIV[®] (telavancin), our first commercial product, is a once-daily dual-mechanism antibiotic approved in the U.S., Europe and certain other countries for certain difficult-to-treat infections. Revefenacin (TD-4208) is a long-acting muscarinic antagonist (LAMA) being developed as a potential once-daily, nebulized treatment for chronic obstructive pulmonary disease (COPD). Our neprilysin (NEP) inhibitor program is designed to develop selective NEP inhibitors for the treatment of a range of major cardiovascular and renal diseases, including acute and chronic heart failure, hypertension and chronic kidney diseases, such as diabetic nephropathy. Our research efforts are focused in the areas of inflammation and immunology, with the goal of designing medicines that provide targeted drug delivery to tissues in the lung and intestinal tract in order to maximize patient benefit and minimize risk. The first program to emerge from this research is designed to develop intestinally restricted pan-Janus kinase (JAK) inhibitors for the treatment of a range of inflammatory intestinal diseases.

In addition, we have an economic interest in future payments that may be made by Glaxo Group Limited or one of its affiliates (GSK) pursuant to its agreements with Innoviva, Inc. relating to certain drug development programs, including Trelegy Ellipta (the combination of fluticasone furoate, umeclidinium, and vilanterol in a single ELLIPTA[®] inhaler, previously referred to as the Closed Triple), currently approved in the US for the treatment of appropriate COPD patients and in development for the treatment of COPD in several other countries. The product is also currently in development for the treatment of asthma.

For more information, please visit www.theravance.com.

THERAVANCE[®], the Cross/Star logo and VIBATIV[®] are registered trademarks of the Theravance Biopharma group of companies. Trademarks, trade names or service marks of other companies appearing on this press release are the property of their respective owners.

This press release contains certain "forward-looking" statements as that term is defined in the Private Securities Litigation Reform Act of 1995 regarding, among other things, statements relating to goals, plans, objectives, expectations and future events. Theravance Biopharma intends such forward-looking statements to be covered by the safe harbor provisions for forward-looking statements contained in Section 21E of the Securities Exchange Act of 1934 and the Private Securities Litigation Reform Act of 1995. Examples of such statements include statements relating to: the company's strategies, plans and objectives, the company's regulatory strategies and timing of clinical studies, the potential benefits and mechanisms of action of the company's product and product candidates, the company's expectations for product candidates through development, potential regulatory approval and commercialization (including their potential as components of combination therapies) and the company's expectations for product sales. These statements are based on the current estimates and assumptions of the management of Theravance Biopharma as of the date of the press release and are subject to risks, uncertainties, changes in circumstances, assumptions and other factors that may cause the actual results of Theravance Biopharma to be materially different from those reflected in the forward-looking statements. Important factors that could cause actual results to differ materially from those indicated by such forward-looking statements include, among others, risks related to: delays or difficulties in commencing or completing clinical studies, the potential that results from clinical or non-clinical studies indicate the company's product candidates are unsafe or ineffective (including when our product candidates are studied in combination with other compounds), the feasibility of undertaking future clinical trials for our product candidates based on FDA policies and feedback, dependence on third parties to conduct clinical studies, delays or failure to achieve and maintain regulatory approvals for product candidates, risks of collaborating with or relying on third parties to discover, develop and commercialize product and product candidates, and risks associated with establishing and maintaining sales, marketing and distribution capabilities with appropriate technical expertise and supporting infrastructure. Other risks affecting Theravance Biopharma are described under the heading "Risk Factors" contained in Theravance Biopharma's Form 10-Q filed with the Securities and Exchange Commission (SEC) on August 9, 2017 and Theravance Biopharma's other filings with the SEC. In addition to the risks described above and in Theravance Biopharma's filings with the SEC, other unknown or unpredictable factors also could affect Theravance Biopharma's results. No forward-looking statements can be guaranteed and actual results may differ materially from such statements. Given these uncertainties, you should not place undue reliance on these forward-looking statements. Theravance Biopharma assumes no obligation to update its forward-looking statements on account of new information, future events or otherwise, except as required by law.

About Mylan

Mylan is a global pharmaceutical company committed to setting new standards in healthcare. Working together around the world to provide 7 billion people access to high quality medicine, we innovate to satisfy unmet needs; make reliability and service excellence a habit; do what's right, not what's easy; and impact the future through passionate global leadership. We offer a growing portfolio of more than 7,500 marketed products around the world, including antiretroviral therapies on which approximately 50% of people being treated for HIV/AIDS in the developing world depend. We market our products in more than 165 countries and territories. We are one of the world's largest producers of active pharmaceutical ingredients. Every member of our more than 35,000-strong workforce is dedicated to creating better health for a better world, one person at a time. Learn more at Mylan.com.

This press release includes statements that constitute "forward-looking statements," including with regard to the outcome of clinical trials; that Theravance Biopharma and Mylan remain on track to submit an NDA for revefenacin the fourth quarter of 2017; that these new results, combined with efficacy and safety studies presented earlier this year, give Theravance Biopharma and Mylan positive momentum as they prepare an NDA for revefenacin; that the data from these studies will support the submission of the NDA for revefenacin with the FDA, anticipated in the fourth quarter of 2017; that, if approved, revefenacin has the potential to be a best-in-class once-daily single-agent product for COPD patients who require, or prefer, nebulized therapy; and that the product's stability in both metered dose inhaler and dry powder device formulations, suggest that this LAMA could also serve as a foundation for novel handheld combination products. These statements are made pursuant to the safe harbor provisions of the Private Securities Litigation Reform Act of 1995. Because such statements inherently

involve risks and uncertainties, actual future results may differ materially from those expressed or implied by such forward-looking statements. Factors that could cause or contribute to such differences include, but are not limited to: success of clinical trials and our or our partners' ability to execute on new product opportunities; any regulatory, legal or other impediments to our or our partners' ability to bring products to market; other risks inherent in product development; the scope, timing, and outcome of any ongoing legal proceedings, including government investigations, and the impact of any such proceedings on our or our partners' businesses; actions and decisions of healthcare and pharmaceutical regulators, and changes in healthcare and pharmaceutical laws and regulations, in the United States and abroad; the impact of competition; strategies by competitors or other third parties to delay or prevent product introductions; the effect of any changes in our or our partners' customer and supplier relationships and customer purchasing patterns; any other changes in third-party relationships; changes in the economic and financial conditions of the businesses of Mylan or its partners; uncertainties and matters beyond the control of management; and the other risks detailed in Mylan's filings with the Securities and Exchange Commission. Mylan undertakes no obligation to update these statements for revisions or changes after the date of this release.

References

¹ "Clinically meaningful" is defined by industry established Minimal Clinically Important Difference (MCID) for lung function (100 ml improvement in FEV1), SGRQ (change from baseline of -4), CAT (change from baseline of -2).

²American Lung Association. "Chronic Obstructive Pulmonary Disease (COPD)" <http://www.lung.org/lung-health-and-diseases/lung-disease-lookup/copd>. Accessed on September 29, 2016.

³American Lung Association. "Trends in COPD (Chronic Bronchitis and Emphysema): Morbidity and Mortality" <http://www.lung.org/assets/documents/research/copd-trend-report.pdf>. Accessed on September 29, 2016.

⁴ TBPH market research (N = 160 physicians); Refers to US COPD patients

View original content with multimedia:<http://www.prnewswire.com/news-releases/theravance-biopharma-and-mylan-report-additional-positive-phase-3-data-for-revefenacin-td-4208-in-multiple-presentations-at-2017-chest-annual-meeting-300547214.html>

SOURCE Mylan N.V.

Theravance Biopharma: Alexander Dobbin, Head of Investor Relations, 650-808-4045, investor.relations@theravance.com; Tim Brons, Vida Strategic Partners (media), 646-319-8981, tbrons@vidasp.com; Mylan: Media: 724.514.1968, Melissa Trombetta (Investor Relations), 724.514.1813