



## Theravance Biopharma to Present New Data from Studies of VIBATIV® (telavancin) and Revefenacin (TD-4208) at the 2017 CHEST Annual Meeting

October 24, 2017

### **Preliminary Data from TOUR™ Observational Patient Registry Highlights Positive Clinical Response Rates for VIBATIV Against Lower Respiratory Tract Infections** **Revefenacin Presentations Highlight Additional Data from Two Pivotal Phase 3 Efficacy Studies in Patients with Moderate to Very Severe Chronic Obstructive Pulmonary Disease**

DUBLIN, Oct. 24, 2017 /PRNewswire/ -- Theravance Biopharma, Inc. (NASDAQ: TBPH) ("Theravance Biopharma" or the "Company") today announced that data from new studies of VIBATIV® (*telavancin*) and revefenacin (TD-4208) will be presented at the 2017 CHEST annual meeting, being held in Toronto, Ontario on October 28 – November 1, 2017. The presented data on VIBATIV will focus on a subset of patients in the Telavancin Observational Use Registry (TOUR™) study with confirmed diagnoses of lower respiratory tract infections (LRTIs). TOUR is designed to report how telavancin is being used by healthcare practitioners to treat patients in real-world clinical settings.



Additionally, multiple presentations will report new results from the two previously completed pivotal Phase 3 studies of revefenacin in patients with moderate to very severe chronic obstructive pulmonary disease (COPD). A new drug application (NDA) for revefenacin is expected to be submitted to the U.S. Food and Drug Administration (FDA) in the fourth quarter of 2017.

Details of the presentations at CHEST 2017 are as follows:

#### **Real-World Treatment of Lower Respiratory Tract Infections in the Telavancin Observational Use Registry (TOUR™)**

- Date/time: Monday, October 30, 2017, 4:45 – 5:00 p.m. ET
- Session Title: Tuberculosis and Other Pulmonary Infections
- Location: 601A

#### **Improvements in Health Status with Revefenacin, a Once-daily LAMA for Nebulization: Changes in SGRQ and CAT in Replicate 3-Month Studies**

- Date/time: Sunday, October 29, 2017, 8:15 – 8:30 a.m. ET
- Session Title: New Perspectives in COPD Morbidity
- Location: 601A

#### **The 24-Hour Profile of FEV1 After 12 Weeks Treatment with Revefenacin, a Once Daily LAMA for Nebulization: A Spirometry Substudy**

- Date/time: Tuesday, October 31, 2017, 12:00 – 12:15 p.m. ET
- Session Title: COPD: Advances in Pharmacotherapy
- Location: 602B

#### **About VIBATIV®(*telavancin*)**

VIBATIV® was discovered internally in a research program dedicated to finding new antibiotics for serious infections due to *Staphylococcus aureus* (*S. aureus*) and other Gram-positive bacteria, including MRSA and MSSA. VIBATIV is a once-daily, injectable lipoglycopeptide antibiotic with *in vitro* potency, bactericidal activity within six hours, and penetration into target infection sites. The drug is approved in the U.S. for the treatment of adult patients with hospital-acquired and ventilator-associated bacterial pneumonia (HABP/VABP) caused by susceptible isolates of *S. aureus* when alternative treatments are not suitable. In addition, VIBATIV is approved in the U.S. for the treatment of adult patients with complicated skin & skin structure infections (cSSSI) caused by susceptible isolates of Gram-positive bacteria, including *S. aureus*, both methicillin-susceptible (MSSA) and methicillin-resistant (MRSA) strains. The product labeling also describes the use of VIBATIV in treating patients whose pneumonia or skin infection is complicated by concurrent bacteremia.

The product's proven efficacy against difficult-to-treat Gram-positive infections has been demonstrated in several large, multinational registrational studies, which involved one of the largest cohorts of patients with *S. aureus* infections studied to date. Importantly, these studies demonstrated significantly higher cure rates for VIBATIV as compared to vancomycin in HABP/VABP due to any single Gram-positive pathogen or *S. aureus* with

vancomycin MIC  $\geq 1$   $\mu\text{g/mL}$ . Additionally, there is extensive and well-documented evidence of the drug's *in vitro* potency and *in vivo* activity against a broad collection of Gram-positive bacterial pathogens, including those that are considered difficult-to-treat and multidrug-resistant.

VIBATIV is also approved for marketing in Europe, Canada and Russia. Theravance Biopharma plans to market VIBATIV outside the U.S. through a network of partners. To date, the company has secured partners for VIBATIV in the following geographies – Canada, Middle East, North Africa, Israel, Russia, China and India.

### **VIBATIV®(telavancin) Important Safety Information**

#### **Mortality**

Patients with pre-existing moderate/severe renal impairment (CrCl  $\leq 50$  mL/min) who were treated with VIBATIV® for hospital-acquired bacterial pneumonia/ventilator-associated bacterial pneumonia had increased mortality observed versus vancomycin. Use of VIBATIV in patients with pre-existing moderate/severe renal impairment (CrCl  $\leq 50$  mL/min) should be considered only when the anticipated benefit to the patient outweighs the potential risk.

#### **Nephrotoxicity**

New onset or worsening renal impairment occurred in patients who received VIBATIV. Renal adverse events were more likely to occur in patients with baseline comorbidities known to predispose patients to kidney dysfunction and in patients who received concomitant medications known to affect kidney function. Monitor renal function in all patients receiving VIBATIV prior to initiation of treatment, during treatment, and at the end of therapy. If renal function decreases, the benefit of continuing VIBATIV versus discontinuing and initiating therapy with an alternative agent should be assessed.

#### **Fetal Risk**

Women of childbearing potential should have a serum pregnancy test prior to administration of VIBATIV. Avoid use of VIBATIV during pregnancy unless the potential benefit to the patient outweighs the potential risk to the fetus. Adverse developmental outcomes observed in three animal species at clinically relevant doses raise concerns about potential adverse developmental outcomes in humans. If not already pregnant, women of childbearing potential should use effective contraception during VIBATIV treatment.

#### **Contraindication**

Intravenous unfractionated heparin sodium is contraindicated with VIBATIV administration due to artificially prolonged activated partial thromboplastin time (aPTT) test results for up to 18 hours after VIBATIV administration.

VIBATIV is contraindicated in patients with a known hypersensitivity to the drug.

#### **Hypersensitivity Reactions**

Serious and potentially fatal hypersensitivity reactions, including anaphylactic reactions, may occur after first or subsequent doses. VIBATIV should be used with caution in patients with known hypersensitivity to vancomycin.

#### **Geriatric Use**

Telavancin is substantially excreted by the kidney, and the risk of adverse reactions may be greater in patients with impaired renal function. Because elderly patients are more likely to have decreased renal function, care should be taken in dose selection in this age group.

#### **Infusion Related Reactions**

VIBATIV is a lipoglycopeptide antibacterial agent and should be administered over a period of 60 minutes to reduce the risk of infusion-related reactions. Rapid intravenous infusions of the glycopeptide class of antimicrobial agents can cause "Red-man Syndrome" like reactions including: flushing of the upper body, urticaria, pruritus, or rash.

#### **QTc Prolongation**

Caution is warranted when prescribing VIBATIV to patients taking drugs known to prolong the QT interval. In a study involving healthy volunteers, VIBATIV prolonged the QTc interval. Use of VIBATIV should be avoided in patients with congenital long QT syndrome, known prolongation of the QTc interval, uncompensated heart failure, or severe left ventricular hypertrophy.

#### **Most Common Adverse Reactions**

The most common adverse reactions (greater than or equal to 10% of patients treated with VIBATIV) were diarrhea, taste disturbance, nausea, vomiting, and foamy urine.

Full Prescribing Information, including Boxed Warning and Medication Guide in the U.S., is available at [www.VIBATIV.com](http://www.VIBATIV.com).

### **About Revefenacin**

Revefenacin (TD-4208) is a novel investigational once-daily nebulized LAMA in Phase 3 development for the treatment of moderate to very severe COPD. Market research by Theravance Biopharma indicates approximately 9% of the treated COPD patients in the U.S. use nebulizers for ongoing maintenance therapy.<sup>3</sup> LAMAs are a cornerstone of maintenance therapy for COPD and, if approved, revefenacin has the potential to be a best-in-class once-daily single-agent product for COPD patients who require, or prefer, nebulized therapy. The product's stability in both metered dose inhaler and dry powder device formulations, suggest that this LAMA could also serve as a foundation for novel handheld combination products.

### **About Theravance Biopharma**

Theravance Biopharma, Inc. is a diversified biopharmaceutical company with the core purpose of creating medicines that help improve the lives of

patients suffering from serious illness.

Our pipeline of internally discovered product candidates includes potential best-in-class medicines to address the unmet needs of patients being treated for serious conditions primarily in the acute care setting. VIBATIV<sup>®</sup> (telavancin), our first commercial product, is a once-daily dual-mechanism antibiotic approved in the U.S., Europe and certain other countries for certain difficult-to-treat infections. Revedfenacin (TD-4208) is a long-acting muscarinic antagonist ("LAMA") being developed as a potential once-daily, nebulized treatment for chronic obstructive pulmonary disease ("COPD"). Our neprilysin ("NEP") inhibitor program is designed to develop selective NEP inhibitors for the treatment of a range of major cardiovascular and renal diseases, including acute and chronic heart failure, hypertension and chronic kidney diseases such as diabetic nephropathy. Our research efforts are focused in the areas of inflammation and immunology, with the goal of designing medicines that provide targeted drug delivery to tissues in the lung and gastrointestinal tract in order to maximize patient benefit and minimize risk. The first program to emerge from this research is designed to develop intestinally restricted pan-Janus kinase ("JAK") inhibitors for the treatment of a range of inflammatory intestinal diseases.

In addition, we have an economic interest in future payments that may be made by Glaxo Group Limited or one of its affiliates (GSK) pursuant to its agreements with Innoviva, Inc. relating to certain drug development programs, including Trelegy Ellipta (the combination of fluticasone furoate, umeclidinium, and vilanterol in a single ELLIPTA<sup>®</sup> inhaler, previously referred to as the Closed Triple), currently approved in the US for the treatment of appropriate COPD patients and in development for the treatment of COPD in several other countries. The product is also currently in development for the treatment of asthma.

For more information, please visit [www.theravance.com](http://www.theravance.com).

THERAVANCE<sup>®</sup>, the Cross/Star logo, and VIBATIV<sup>®</sup> are registered trademarks of the Theravance Biopharma group of companies.

*This press release contains certain "forward-looking" statements as that term is defined in the Private Securities Litigation Reform Act of 1995 regarding, among other things, statements relating to goals, plans, objectives, expectations and future events. Theravance Biopharma intends such forward-looking statements to be covered by the safe harbor provisions for forward-looking statements contained in Section 21E of the Securities Exchange Act of 1934 and the Private Securities Litigation Reform Act of 1995. Examples of such statements include statements relating to: the Company's strategies, plans and objectives, the Company's regulatory strategies and timing and results of clinical studies, the potential benefits and mechanisms of action of the Company's product and product candidates and the Company's expectations for product candidates through development, potential regulatory approval and commercialization. These statements are based on the current estimates and assumptions of the management of Theravance Biopharma as of the date of the press release and are subject to risks, uncertainties, changes in circumstances, assumptions and other factors that may cause the actual results of Theravance Biopharma to be materially different from those reflected in the forward-looking statements. Important factors that could cause actual results to differ materially from those indicated by such forward-looking statements include, among others, risks related to: delays or difficulties in commencing or completing clinical studies, the potential that results from clinical or non-clinical studies indicate the Company's product candidates are unsafe or ineffective, the feasibility of undertaking future clinical trials for our product candidates based on FDA policies and feedback, dependence on third parties to conduct clinical studies, delays or failure to achieve and maintain regulatory approvals for product candidates, risks of collaborating with or relying on third parties to discover, develop and commercialize products, risks associated with establishing and maintaining sales, marketing and distribution capabilities with appropriate technical expertise and supporting infrastructure. Other risks affecting Theravance Biopharma are described under the heading "Risk Factors" contained in Theravance Biopharma's Quarterly Report on Form 10-Q filed with the Securities and Exchange Commission (SEC) on August 9, 2017. In addition to the risks described above and in Theravance Biopharma's other filings with the SEC, other unknown or unpredictable factors also could affect Theravance Biopharma's results. No forward-looking statements can be guaranteed and actual results may differ materially from such statements. Given these uncertainties, you should not place undue reliance on these forward-looking statements. Theravance Biopharma assumes no obligation to update its forward-looking statements on account of new information, future events or otherwise, except as required by law.*

**Contact Information:**

Alexander Dobbin  
Head of Investor Relations  
650-808-4045  
[investor.relations@theravance.com](mailto:investor.relations@theravance.com)

Tim Brons  
Vida Strategic Partners (Media)  
646-319-8981  
[tbrons@vidasp.com](mailto:tbrons@vidasp.com)

View original content with multimedia: <http://www.prnewswire.com/news-releases/theravance-biopharma-to-present-new-data-from-studies-of-vibativ-telavancin-and-revedfenacin-td-4208-at-the-2017-chest-annual-meeting-300541646.html>

SOURCE Theravance Biopharma, Inc.